Key-Word Index

Abies amabilis
Occurrence of root pressure exudation in Pacific Northwest conifer seedlings. **26:275**
Abies balsamea
Effects of insect defoliation on growth and foliar nutrients of young balsam fir. **26:665**
Abies concolor
Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**
Abies grandis
Occurrence of root pressure exudation in Pacific Northwest conifer seedlings. **26:275**
Response of advance grand fir regeneration to overstory removal in northern Idaho. **26:537**
Abies magnifica
Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**
Abies procera
Occurrence of root pressure exudation in Pacific Northwest conifer seedlings. **26:275**
Acer rubrum
Winter season corticular photosynthesis in *Cornus florida, Acer rubrum, Quercus alba,* and *Liriodendron tulipifera*. **26:641**
Acer saccharum
Root growth of sugar maple seedlings in a hydroponic system. **26:231**
advance growth
Response of advance grand fir regeneration to overstory removal in northern Idaho. **26:537**
adventive embryogenesis
Embryogenesis in tissue cultures of sweetgum. **26:257**
age-age correlations
Juvenile-mature correlations in Pinaceae and implications for early selection. **26:571**
aggregated spatial pattern
On the convergence of forest stand spatial pattern over time: the cases of regular and aggregated initial spatial patterns. **26:10**
Alabama forest economy
Regional analysis of forest industries: input-output methods. **26:548**
alder, black (*see Alnus glutinosa*)
alder, green (*see Alnus crispa*)
allelochemic interference
Allelochemic interference by quaking aspen leaf litter on selected herbaceous species. **26:429**
allelopathic inhibition
Allelopathic inhibition of black locust, red clover, and black alder by six common herbaceous species. **26:511**
allocation
Winter season corticular photosynthesis in *Cornus florida, Acer rubrum, Quercus alba,* and *Liriodendron tulipifera*. **26:641**
allowable cut effect
Allowable cut effect and the ECHO algorithm. **26:374**
Economic analysis of the allowable cut effect. **26:633**
Alnus crispa
Optimal surface sterilization of *Alnus crispa* seeds with merthiolate. **26:483**
Alnus glutinosa
Allelopathic inhibition of black locust, red clover, and black alder by six common herbaceous species. **26:511**
Alnus rubra
Yields of minirotation closely spaced hardwoods in temperate regions: review and appraisal. **26:415**
Amanita rubescens
IAA involvement in fungal protection of Virginia pine seedlings exposed to methane. **26:172**
American sycamore (*see Platanus occidentalis*)
analysis of variance
Measuring treatment effects through comparisons along plot boundaries. **26:704**
Andropogon virginicus
Allelopathic inhibition of black locust, red clover, and black alder by six common herbaceous species. **26:511**
animal damage
Deer browsing of Douglas-fir trees in relation to volatile terpene composition and *in vitro* fermentability. **26:179**
annual increment
Paper birch and white oak saplings differ in responses to drought. **26:313**
anticoagulant rodenticides
Control of small mammal damage in the Alberta oil sands reclamation and afforestation program. **26:687**
Arceuthobium douglasii
Growth characteristics of the brooms on Douglas-fir caused by *Arceuthobium douglasii*. **26:149**
aspen, quaking (*see Populus tremuloides*)
aspen, trembling (*see Populus tremuloides*)
asulam
Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**
attitudes toward clearcutting
The response of forest recreationists to clearcutting in northern Lower Michigan: a preliminary report. **26:81**
attitudinal response
The response of forest recreationists to clearcutting in northern Lower Michigan: a preliminary report. **26:81**
balsam fir (*see Abies balsamea*)
bark moisture content
Within-stand comparisons of inner bark electrical resistance in lodgepole pine—the bark moisture factor. **26:309**
beetle, southern pine (*see Dendroctonus frontalis*)
bending stress
Mechanical stimulation and xylem production in Douglas-fir. **26:643**
Bertalanffy growth equation
Gypsy moth larval growth and consumption on red oak. **26:599**
Betula papyrifera
Paper birch and white oak saplings differ in responses to drought. **26:313**
biomass
Rootstock mass of coppiced *Platanus occidentalis* as affected by spacing and rotation length. **26:545**
Yields of minirotation closely spaced hardwoods in temperate regions: review and appraisal. **26:415**
biomass estimation
Biomass estimation for Virginia pine trees and stands. **26:107**
biomass gasification

Thermal behavior of conifer needle extractives. **26:347**

birch, paper (*see* ***Betula papyrifera***)

birdsfoot trefoil (*see* ***Lotus corniculatus***)

black alder (*see* ***Alnus glutinosa***)

black locust (*see* ***Robinia pseudoacacia***)

black oak (*see* ***Quercus velutina***)

blackjack oak (*see* ***Quercus marilandica***)

black-tailed deer (*see* ***Odocoileus hemionus columbianus***)

bluegrass, Kentucky (*see* ***Poa pratensis***)

boundary comparisons

Measuring treatment effects through comparisons along plot boundaries. **26:704**

broadleaf seedling development

Growth and endomycorrhizal development of broadleaf seedlings in fumigated nursery soil. **26:403**

brome, smooth (*see* ***Bromus inermis***)

Bromus inermis

Allelochemic interference by quaking aspen leaf litter on selected herbaceous species. **26:429**

broom growth analysis

Growth characteristics of the brooms on Douglas-fir caused by *Arceuthobium douglasii*. **26:149**

broomsedge (*see* ***Andropogon virginicus***)

browse selection

Deer browsing of Douglas-fir trees in relation to volatile terpene composition and *in vitro* fermentability. **26:179**

bud burst

Provenance variation in phenology and cold hardiness of western hemlock seedlings. **26:463**

bud set

Provenance variation in phenology and cold hardiness of western hemlock seedlings. **26:463**

budbreak

Root growth of sugar maple seedlings in a hydroponic system. **26:231**

Canadian lumber imports

The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**

capital-labor relationships

Estimating the production technology in the U.S. forest products industries. **26:471**

carrot, wild (*see* ***Daucus carota***)

catastrophic mortality

The effect of potential catastrophic mortality and other unpredictable events on optimal forest rotation policy. **26:389**

cellulosic

Thermal behavior of conifer needle extractives. **26:347**

Cervus canadensis nelsoni

Selective plant species inhibition by elk and deer in three conifer communities in western Washington. **26:97**

chemical rooting treatment

The role of mist and chemical treatments in rooting loblolly and shortleaf pine cuttings. **26:651**

chlorophyll

Site index, growth, and foliar chemical composition relationships in western hemlock. **26:283**

chlorophyll content

Influence of constant growth temperature upon the productivity and gas exchange of Scots pine and European larch. **26:301**

Choristoneura fumiferana

Effects of insect defoliation on growth and foliar nutrients of young balsam fir. **26:665**

clearcutting

The response of forest recreationists to clearcutting in northern Lower Michigan: a preliminary report. **26:81**

clearcutting-soil-landslide relationship

Risk of landslides in shallow soils and its relation to clearcutting in southeastern Alaska. **26:495**

climax vegetation

Classifying forest habitat types based on potential climax vegetation. **26:52**

clover, red (*see* ***Trifolium pratensis***)

cold hardiness

Provenance variation in phenology and cold hardiness of western hemlock seedlings. **26:463**

Columbian black-tailed deer (*see* ***Odocoileus hemionus columbianus***)

computer simulation

On the convergence of forest stand spatial pattern over time: the cases of regular and aggregated initial spatial patterns. **26:10**

cone receptivity

Pollination mechanism and seed production in Douglas-fir. **26:522**

conic sections

Avoiding dendrometry bias when trees lean or taper. **26:203**

conifer growth models

An ecological approach to modeling growth of forest trees. **26:33**

conifer needle coating

Fluidized bed coating of conifer needles with glass beads for determination of leaf surface area. **26:29**

conifer needle extractives

Thermal behavior of conifer needle extractives. **26:347**

conifer seedling exudation

Occurrence of root pressure exudation in Pacific Northwest conifer seedlings. **26:275**

consumption-production relationships

The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**

containerized seedlings

Effects of nitrogen fertilization on growth and ectomycorrhizal formation of red oak. **26:529**

coppice

Yields of minirotation closely spaced hardwoods in temperate regions: review and appraisal. **26:415**

coppice rotation

Rootstock mass of coppiced *Platanus occidentalis* as affected by spacing and rotation length. **26:545**

Cornus florida

Winter season corticular photosynthesis in *Cornus florida, Acer rubrum, Quercus alba,* and *Liriodendron tulipifera*. **26:641**

Coronilla varia

Allelopathic inhibition of black locust, red clover, and black alder by six common herbaceous species. **26:511**

cortical monoterpenes

Relationship between cortical monoterpenes and susceptibility of eastern white pine to white-pine weevil attack. **26:581**

corticular photosynthesis

Winter season corticular photosynthesis in *Cornus florida, Acer rubrum, Quercus alba,* and *Liriodendron tulipifera*. **26:641**

cost function

Effects of input costs, economies of scale, and tech-

nological change on international pulp and paper prices. **26:261**

cost functions

Estimating the production technology in the U.S. forest products industries. **26:471**

creeping red fescue (*see* ***Festuca rubra***)

Cronartium quercuum* f. sp. *fusiforme

Pathogenic variation among single-aeciospore isolates of *Cronartium quercuum* f. sp. *fusiforme*. **26:280**

crosslevel

Avoiding dendrometry bias when trees lean or taper. **26:203**

cross-section analysis

Effects of input costs, economies of scale, and technological change on international pulp and paper prices. **26:261**

crownvetch (*see* ***Coronilla varia***)

cutting propagation

The role of mist and chemical treatments in rooting loblolly and shortleaf pine cuttings. **26:651**

Daucus carota

Allelopathic inhibition of black locust, red clover, and black alder by six common herbaceous species. **26:511**

debris avalanche

Risk of landslides in shallow soils and its relation to clearcutting in southeastern Alaska. **26:495**

deep soil nutrient content

Nutrient accumulations in jack pine stands on deep and shallow soils over bedrock. **26:325**

deer, Columbian black-tailed (*see* ***Odocoileus hemionus columbianus***)

deer, Sitka black-tailed (*see* ***Odocoileus hemionus sitkensis***)

deer, white-tailed (*see* ***Odocoileus virginianus borealis***)

deer browsing

Deer browsing of Douglas-fir trees in relation to volatile terpene composition and *in vitro* fermentability. **26:179**

deer habitat

Response of deer to secondary forest succession in southeast Alaska. **26:448**

deer mice (*see* ***Peromyscus maniculatus***)

deer response

Response of deer to secondary forest succession in southeast Alaska. **26:448**

defoliation

Effects of insect defoliation on growth and foliar nutrients of young balsam fir. **26:665**

Gypsy moth larval growth and consumption on red oak. **26:599**

demand elasticities

Competition between wood products and substitute structural products: an econometric analysis. **26:134**

demand equations

A recursive approach to include complex demand equations in economic harvest scheduling. **26:369**

demand-supply relationships

The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**

Dendroctonus frontalis

Replication of a scenic preference function. **26:227**

dendrometer estimates

Avoiding dendrometry bias when trees lean or taper. **26:203**

dendrometry bias

Avoiding dendrometry bias when trees lean or taper. **26:203**

diameter distribution model

Individual tree growth derived from diameter distribution models. **26:626**

dichlorprop

Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**

dielectric heating

Germination responses of pine seed to radiofrequency, infrared, and gas-plasma-radiation treatments. **26:377**

diffusive resistance

Paper birch and white oak saplings differ in responses to drought. **26:313**

Digger pine (*see* ***Pinus sabiniana***)

disease resistance

Pathogenic variation among single-aeciospore isolates of *Cronartium quercuum* f. sp. *fusiforme*. **26:280**

Phellinus weirii infestation of two mountain hemlock forests in the Oregon Cascades. **26:23**

distributive shares

Estimating the production technology in the U.S. forest products industries. **26:471**

dogwood (*see* ***Cornus florida***)

dormancy

Germination responses of pine seed to radiofrequency, infrared, and gas-plasma-radiation treatments. **26:377**

Douglas-fir (*see* ***Pseudotsuga menziesii***)

Douglas-fir dwarf mistletoe

Growth characteristics of the brooms on Douglas-fir caused by *Arceuthobium douglasii*. **26:149**

drought response

Paper birch and white oak saplings differ in responses to drought. **26:313**

dry sclerophyll forest

The distribution of root length, and the limits to flow of soil water to roots in a dry sclerophyll forest. **26:656**

dwarf mistletoe (*see* ***Arceuthobium douglasii***)

dynamic programming

Derivation of optimal stand density over time—a discrete stage, continuous state dynamic programming solution. **26:217**

Simultaneous optimization of thinnings and rotation with continuous stocking and entry intervals. **26:338**

A two-stage, multiple objective mathematical programming approach to optimal thinning and harvesting. **26:674**

early selection

Juvenile-mature correlations in Pinaceae and implications for early selection. **26:571**

eastern white pine (*see* ***Pinus strobus***)

ECHO algorithm

Allowable cut effect and the ECHO algorithm. **26:374**

ecological niche

An ecological approach to modeling growth of forest trees. **26:33**

econometric analysis

Competition between wood products and substitute structural products: an econometric analysis. **26:134**

econometrics

A recursive approach to include complex demand equations in economic harvest scheduling. **26:369**

economic analysis

Economic analysis of the allowable cut effect. **26:633**

economic contribution

Regional analysis of forest industries: input-output methods. **26:548**

economic harvest scheduling
A recursive approach to include complex demand equations in economic harvest scheduling. **26:369**
ecosystem classification
Classifying forest habitat types based on potential climax vegetation. **26:52**
ectomycorrhizae
Effects of nitrogen fertilization on growth and ectomycorrhizal formation of red oak. **26:529**
Elaeagnus angustifolia
Growth and endomycorrhizal development of broadleaf seedlings in fumigated nursery soil. **26:403**
elasticities
Estimating the production technology in the U.S. forest products industries. **26:471**
electric seed treatment
Germination responses of pine seed to radiofrequency, infrared, aad gas-plasma-radiation treatments. **26:377**
electrical measurements
Within-stand comparisons of inner bark electrical resistance in lodgepole pine—the bark moisture factor. **26:309**
electron microscopy
Development of floral primordia in white oak. **26:238**
elk, Rocky Mountain (*see* ***Cervus canadensis nelsoni***)
embryogenesis
Embryogenesis in tissue cultures of sweetgum. **26:257**
embryoids
Embryogenesis in tissue cultures of sweetgum. **26:257**
endomycorrhizae
Growth and endomycorrhizal development of broadleaf seedlings in fumigated nursery soil. **26:403**
Engelmann spruce (*see* ***Picea engelmannii***)
environment measuring
An ecological approach to modeling growth of forest trees. **26:33**
essential elements
Site index, growth, and foliar chemical composition relationships in western hemlock. **26:283**
esthetic impact
Replication of a scenic preference function. **26:227**
ethylene
The role of mist and chemical treatments in rooting loblolly and shortleaf pine cuttings. **26:651**
eucalypt forest
The distribution of root length, and the limits to flow of soil water to roots in a dry sclerophyll forest. **26:656**
Eucalyptus marginata
The distribution of root length, and the limits to flow of soil water to roots in a dry sclerophyll forest. **26:656**
European larch (*see* ***Larix decidua***)
even-aged stand
On the convergence of forest stand spatial pattern over time: the cases of regular and aggregated initial spatial patterns. **26:10**
exclosures
Selective plant species inhibition by elk and deer in three conifer communities in western Washington. **26:97**
experimental design
Measuring treatment effects through comparisons along plot boundaries. **26:704**
exudate osmotic potential
Occurrence of root pressure exudation in Pacific Northwest conifer seedlings. **26:275**
factor substitution
Estimating the production technology in the U.S. forest products industries. **26:471**
failure probability
Risk of landslides in shallow soils and its relation to clearcutting in southeastern Alaska. **26:495**
Faustmann formula
The effect of potential catastrophic mortality and other unpredictable events on optimal forest rotation policy. **26:389**
feeder stations
Control of small mammal damage in the Alberta oil sands reclamation and afforestation program. **26:687**
fertilization effect
Effects of nitrogen fertilization on growth and ectomycorrhizal formation of red oak. **26:529**
fertilization potential
Pollination mechanism and seed production in Douglas-fir. **26:522**
fescue, creeping red (*see* ***Festuca rubra***)
fescue, tall (*see* ***Festuca arundinacea, Festuca elatior***)
Festuca arundinacea
Allelopathic inhibition of black locust, red clover, and black alder by six common herbaceous species. **26:511**
Festuca elatior
Allelochemic interference by quaking aspen leaf litter on selected herbaceous species. **26:429**
Festuca rubra
Allelochemic interference by quaking aspen leaf litter on selected herbaceous species. **26:429**
financial maturity
Allowable cut effect and the ECHO algorithm. **26:374**
fir, balsam (*see* ***Abies balsamea***)
fir, grand (*see* ***Abies grandis***)
fir, noble (*see* ***Abies procera***)
fir, Pacific silver (*see* ***Abies amabilis***)
fir, red (*see* ***Abies magnifica***)
fir, white (*see* ***Abies concolor***)
flammability
Thermal behavior of conifer needle extractives. **26:347**
floral primordia
Development of floral primordia in white oak. **26:238**
flowering
Development of floral primordia in white oak. **26:238**
foliar chemical elements
Site index, growth, and foliar chemical composition relationships in western hemlock. **26:283**
foliar herbicides
Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**
foliar nutrients
Effects of insect defoliation on growth and foliar nutrients of young balsam fir. **26:665**
forest economics
Forest land values and return on investment. **26:91**
A recursive approach to include complex demand equations in economic harvest scheduling. **26:369**
Simultaneous optimization of thinnings and rotation with continuous stocking and entry intervals. **26:338**
forest ecosystems
Prediction of soil nitrogen availability in forest ecosystems: a literature review. **26:159**
forest engineering
Average yarding slope and distance on settings of simple geometric shape. **26:195**

forest fuels
Thermal behavior of conifer needle extractives. **26:347**
forest industries
Regional analysis of forest industries: input-output methods. **26:548**
forest land values
Forest land values and return on investment. **26:91**
forest management
A matrix model of uneven-aged forest management. **26:609**
Forest Model file
The Forest Model file: a mapped stand library at Virginia Tech. **26:193**
forest products industries
Estimating the production technology in the U.S. forest products industries. **26:471**
forest recreationists
The response of forest recreationists to clearcutting in northern Lower Michigan: a preliminary report. **26:81**
forest regulation
Allowable cut effect and the ECHO algorithm. **26:374**
forest rotation
The effect of potential catastrophic mortality and other unpredictable events on optimal forest rotation policy. **26:389**
forest succession
Response of deer to secondary forest succession in southeast Alaska. **26:448**
Is succession in hardwood forests a stationary Markov process? **26:566**
Fraxinus pennsylvanica
Growth and endomycorrhizal development of broadleaf seedlings in fumigated nursery soil. **26:403**
fosamine
Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**
fusiform rust
Pathogenic variation among single-aeciospore isolates of *Cronartium quercuum* f. sp. *fusiforme*. **26:280**
gain per year
Juvenile-mature correlations in Pinaceae and implications for early selection. **26:571**
gas chromatographic analysis
Deer browsing of Douglas-fir trees in relation to volatile terpene composition and *in vitro* fermentability. **26:179**
gas exchange
Influence of constant growth temperature upon the productivity and gas exchange of Scots pine and European larch. **26:301**
gas-plasma radiation
Germination responses of pine seed to radiofrequency, infrared, and gas-plasma-radiation treatments. **26:377**
genetic variation
Genetic variation in seedling progeny of ponderosa pine provenances. **26:Monogr 23**
geographic clusters
Genetic variation in seedling progeny of ponderosa pine provenances. **26:Monogr 23**
geographic variation
Provenance variation in phenology and cold hardiness of western hemlock seedlings. **26:463**
germination
Allelochemic interference by quaking aspen leaf litter on selected herbaceous species. **26:429**
germination response
Germination responses of pine seed to radiofrequency, infrared, and gas-plasma-radiation treatments. **26:377**
gibberellin
Root growth of sugar maple seedlings in a hydroponic system. **26:231**
glass bead coating
Fluidized bed coating of conifer needles with glass beads for determination of leaf surface area. **26:29**
Glomus fasciculatus
Growth and endomycorrhizal development of broadleaf seedlings in fumigated nursery soil. **26:403**
Glomus mosseae
Growth and endomycorrhizal development of broadleaf seedlings in fumigated nursery soil. **26:403**
glyphosate
Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**
goal programming
Complementary linear and goal programming procedures for timber harvest scheduling. **26:121**
goldenrod, tall (*see* ***Solidago altissima***)
grand fir (*see* ***Abies grandis***)
green alder (*see* ***Alnus crispa***)
greenhouse seedling production
Effects of nitrogen fertilization on growth and ectomycorrhizal formation of red oak. **26:529**
growth
Site index, growth, and foliar chemical composition relationships in western hemlock. **26:283**
growth temperature
Influence of constant growth temperature upon the productivity and gas exchange of Scots pine and European larch. **26:301**
growth and yield
Individual tree growth derived from diameter distribution models. **26:626**
growth changes
Effects of insect defoliation on growth and foliar nutrients of young balsam fir. **26:665**
growth increase
Preplant soil fumigant increases survival and growth of field planted conifer seedlings. **26:400**
growth model
A matrix model of uneven-aged forest management. **26:609**
growth modeling
An ecological approach to modeling growth of forest trees. **26:33**
growth response
Response of advance grand fir regeneration to overstory removal in northern Idaho. **26:537**
gypsy moth (*see* ***Lymantria dispar***)
gypsy moth population simulation
Gypsy moth population simulations for Wisconsin. **26:710**
habitat type classification
Classifying forest habitat types based on potential climax vegetation. **26:52**
hardwood forest succession
Is succession in hardwood forests a stationary Markov process? **26:566**
hardwood management model
A matrix model of uneven-aged forest management. **26:609**
hardwood minirotation
Yields of minirotation closely spaced hardwoods in temperate regions: review and appraisal. **26:415**

hardwood seedlings
Growth and endomycorrhizal development of broadleaf seedlings in fumigated nursery soil. **26:403**
harvest scheduling
Allowable cut effect and the ECHO algorithm. **26:374**
A recursive approach to include complex demand equations in economic harvest scheduling. **26:369**
harvesting impacts
Nutrient accumulations in jack pine stands on deep and shallow soils over bedrock. **26:325**
harvesting model
A two-stage, multiple objective mathematical programming approach to optimal thinning and harvesting. **26:674**
harvesting regime
A matrix model of uneven-aged forest management. **26:609**
harvesting strategy
The effect of potential catastrophic mortality and other unpredictable events on optimal forest rotation policy. **26:389**
heat of combustion
Thermal behavior of conifer needle extractives. **26:347**
heat pulse velocity technique
Measurement of sap flow and transpiration in ring-porous oaks using a heat pulse velocity technique. **26:485**
height growth prediction model
Response of advance grand fir regeneration to overstory removal in northern Idaho. **26:537**
height prediction
Predicting height and relative performance of major southern pines from rainfall, slope, and available soil moisture. **26:437**
hemlock, mountain (*see* ***Tsuga mertensiana***)
hemlock, western (*see* ***Tsuga heterophylla***)
hemlock forest
Phellinus weirii infestation of two mountain hemlock forests in the Oregon Cascades. **26:23**
herbaceous species
Allelochemic interference by quaking aspen leaf litter on selected herbaceous species. **26:429**
Allelopathic inhibition of black locust, red clover, and black alder by six common herbaceous species. **26:511**
herbicide selectivity
Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**
herbivore impact
Selective plant species inhibition by elk and deer in three conifer communities in western Washington. **26:97**
hydroponic system
Root growth of sugar maple seedlings in a hydroponic system. **26:231**
hypsometer tilt
Avoiding dendrometry bias when trees lean or taper. **26:203**
IAA (*see* **indole acetic acid**)
IBA (*see* **indolebutyric acid**)
indole acetic acid
IAA involvement in fungal protection of Virginia pine seedlings exposed to methane. **26:172**
indolebutyric acid
The role of mist and chemical treatments in rooting loblolly and shortleaf pine cuttings. **26:651**
infrared radiation
Germination responses of pine seed to radiofrequency, infrared, and gas-plasma-radiation treatments. **26:377**
inner bark electrical resistance
Within-stand comparisons of inner bark electrical resistance in lodgepole pine—the bark moisture factor. **26:309**
inoculation
Effects of nitrogen fertilization on growth and ectomycorrhizal formation of red oak. **26:529**
input cost effects
Effects of input costs, economies of scale, and technological change on international pulp and paper prices. **26:261**
input-output model
Regional analysis of forest industries: input-output methods. **26:548**
insect defoliation
Effects of insect defoliation on growth and foliar nutrients of young balsam fir. **26:665**
insect infestation impact
Replication of a scenic preference function. **26:227**
intensive culture
Yields of minirotation closely spaced hardwoods in temperate regions: review and appraisal. **26:415**
interpolation
Log volume estimation with spline approximation. **26:361**
investment analysis
Forest land values and return on investment. **26:91**
investment criteria
Economic analysis of the allowable cut effect. **26:633**
irrigation culture
Root growth of sugar maple seedlings in a hydroponic system. **26:231**
jack pine (*see* ***Pinus banksiana***)
jack pine stands
Nutrient accumulations in jack pine stands on deep and shallow soils over bedrock. **26:325**
jarrah (*see* ***Eucalyptus marginata***)
Jeffrey pine (*see* ***Pinus jeffreyi***)
juvenile-mature correlations
Juvenile-mature correlations in Pinaceae and implications for early selection. **26:571**
Kentucky bluegrass (*see* ***Poa pratensis***)
land expectation value
Forest land values and return on investment. **26:91**
land use
Forest land values and return on investment. **26:91**
landscape preference
Replication of a scenic preference function. **26:227**
landslide risk
Risk of landslides in shallow soils and its relation to clearcutting in southeastern Alaska. **26:495**
landslide-soil-clearcutting relationship
Risk of landslides in shallow soils and its relation to clearcutting in southeastern Alaska. **26:495**
larch, European (*see* ***Larix decidua***)
larch, western (*see* ***Larix occidentalis***)
Larix decidua
Influence of constant growth temperature upon the productivity and gas exchange of Scots pine and European larch. **26:301**
Larix occidentalis
Occurrence of root pressure exudation in Pacific Northwest conifer seedlings. **26:275**

larval growth
Gypsy moth larval growth and consumption on red oak. **26:599**
leaf area index
Stem growth per unit of leaf area: a measure of tree vigor. **26:112**
leaf litter interference
Allelochemic interference by quaking aspen leaf litter on selected herbaceous species. **26:429**
leaf surface area
Fluidized bed coating of conifer needles with glass beads for determination of leaf surface area. **26:29**
leaf surface measurement
Fluidized bed coating of conifer needles with glass beads for determination of leaf surface area. **26:29**
lean
Avoiding dendrometry bias when trees lean or taper. **26:203**
light response
Winter season corticular photosynthesis in *Cornus florida, Acer rubrum, Quercus alba,* and *Liriodendron tulipifera*. **26:641**
line-of-sight inclination
Avoiding dendrometry bias when trees lean or taper. **26:203**
linear programming
Complementary linear and goal programming procedures for timber harvest scheduling. **26:121**
A matrix model of uneven-aged forest management. **26:609**
linear programming model
A two-stage, multiple objective mathematical programming approach to optimal thinning and harvesting. **26:674**
Liquidambar styraciflua
Embryogenesis in tissue cultures of sweetgum. **26:257**
Liriodendron tulipifera
Log volume estimation with spline approximation. **26:361**
Winter season corticular photosynthesis in *Cornus florida, Acer rubrum, Quercus alba,* and *Liriodendron tulipifera*. **26:641**
lithic soils
Nutrient accumulations in jack pine stands on deep and shallow soils over bedrock. **26:325**
loblolly pine (*see* ***Pinus taeda***)
locust, black (*see* ***Robinia pseudoacacia***)
lodgepole pine (*see* ***Pinus contorta***)
log volume estimation
Log volume estimation with spline approximation. **26:361**
Lolium perenne
Allelochemic interference by quaking aspen leaf litter on selected herbaceous species. **26:429**
longleaf pine (*see* ***Pinus palustris***)
Lonicera tatarica
Growth and endomycorrhizal development of broadleaf seedlings in fumigated nursery soil. **26:403**
Lotus corniculatus
Allelochemic interference by quaking aspen leaf litter on selected herbaceous species. **26:429**
lumber supply relations
The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**
Lymantria dispar
Gypsy moth larval growth and consumption on red oak. **26:599**
Gypsy moth population simulations for Wisconsin. **26:710**
management intensity simulation
The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**
maple, red (*see* ***Acer rubrum***)
maple, sugar (*see* ***Acer saccharum***)
mapped stand library
The Forest Model file: a mapped stand library at Virginia Tech. **26:193**
market model
The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**
market projections
The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**
Markov chain
On the convergence of forest stand spatial pattern over time: the cases of regular and aggregated initial spatial patterns. **26:10**
Markov process
Is succession in hardwood forests a stationary Markov process? **26:566**
matrix model
A matrix model of uneven-aged forest management. **26:609**
meadow vole (*see* ***Microtus pennsylvanicus***)
measuring treatment effects
Measuring treatment effects through comparisons along plot boundaries. **26:704**
mechanical stimulation
Mechanical stimulation and xylem production in Douglas-fir. **26:643**
mensuration
Development of taper functions from variable-top merchantable volume equations. **26:117**
Evaluation of two methods for cubic-volume prediction of loblolly pine to any merchantable limit. **26:71**
merchantable volume equations
Development of taper functions from variable-top merchantable volume equations. **26:117**
merthiolate
Optimal surface sterilization of *Alnus crispa* seeds with merthiolate. **26:483**
methane seedling damage
IAA involvement in fungal protection of Virginia pine seedlings exposed to methane. **26:172**
methyl bromide
Preplant soil fumigant increases survival and growth of field planted conifer seedlings. **26:400**
mice, deer (*see* ***Peromyscus maniculatus***)
Microtus pennsylvanicus
Control of small mammal damage in the Alberta oil sands reclamation and afforestation program. **26:687**
minirotation yields
Yields of minirotation closely spaced hardwoods in temperate regions: review and appraisal. **26:415**
mist treatment
The role of mist and chemical treatments in rooting loblolly and shortleaf pine cuttings. **26:651**
mistletoe, dwarf (*see* ***Arceuthobium douglasii***)
model file

The Forest Model file: a mapped stand library at Virginia Tech. **26:193**

modeling

Gypsy moth population simulations for Wiconsin. **26:710**

modeling growth

An ecological approach to modeling growth of forest trees. **26:33**

modeling survival

Predicting mortality with a Weibull distribution. **26:291**

moisture content

Within-stand comparisons of inner bark electrical resistance in lodgepole pine—the bark moisture factor. **26:309**

moisture storage capacity

Predicting height and relative performance of major southern pines from rainfall, slope, and available soil moisture. **26:437**

monopolistic competition

Effects of input costs, economies of scale, and technological change on international pulp and paper prices. **26:261**

monoterpenes

Relationship between cortical monoterpenes and susceptibility of eastern white pine to white-pine weevil attack. **26:581**

Monte Carlo model

On the convergence of forest stand spatial pattern over time: the cases of regular and aggregated initial spatial patterns. **26:10**

morphological traits

Genetic variation in seedling progeny of ponderosa pine provenances. **26:Monogr 23**

mortality prediction

Predicting mortality with a Weibull distribution. **26:291**

mountain hemlock (*see Tsuga mertensiana*)

multicharacter analysis

Genetic variation in seedling progeny of ponderosa pine provenances. **26:Monogr 23**

multiple objective dynamic programming

A two-stage, multiple objective mathematical programming approach to optimal thinning and harvesting. **26:674**

multivariate analysis of variance

The response of forest recreationists to clearcutting in northern Lower Michigan: a preliminary report. **26:81**

mycorrhizae

Effects of nitrogen fertilization on growth and ectomycorrhizal formation of red oak. **26:529**

Growth and endomycorrhizal development of broadleaf seedlings in fumigated nursery soil. **26:403**

IAA involvement in fungal protection of Virginia pine seedlings exposed to methane. **26:172**

National Forest planning

Complementary linear and goal programming procedures for timber harvest scheduling. **26:121**

natural cubic spline

Log volume estimation with spline approximation. **26:361**

nearest neighbor distance squared

On the convergence of forest stand spatial pattern over time: the cases of regular and aggregated initial spatial patterns. **26:10**

needle extractive thermal behavior

Thermal behavior of conifer needle extractives. **26:347**

niche

An ecological approach to modeling growth of forest trees. **26:33**

nitrogen

Site index, growth, and foliar chemical composition relationships in western hemlock. **26:283**

nitrogen cycle

Prediction of soil nitrogen availability in forest ecosystems: a literature review. **26:159**

nitrogen fertilization

Effects of nitrogen fertilization on growth and ectomycorrhizal formation of red oak. **26:529**

Prediction of soil nitrogen availability in forest ecosystems: a literature review. **26:159**

nitrogen-fixing species

Allelopathic inhibition of black locust, red clover, and black alder by six common herbaceous species. **26:511**

noble fir (*see Abies procera*)

nonlinear programming

Simultaneous optimization of thinnings and rotation with continuous stocking and entry intervals. **26:338**

nursery soil fumigation

Growth and endomycorrhizal development of broadleaf seedlings in fumigated nursery soil. **26:403**

nutrient accumulation

Nutrient accumulations in jack pine stands on deep and shallow soils over bedrock. **26:325**

nutrient concentrations

Nutrient accumulations in jack pine stands on deep and shallow soils over bedrock. **26:325**

nutrients

Allelochemic interference by quaking aspen leaf litter on selected herbaceous species. **26:429**

Effects of insect defoliation on growth and foliar nutrients of young balsam fir. **26:665**

Site index, growth, and foliar chemical composition relationships in western hemlock. **26:283**

oak, black (*see Quercus velutina*)

oak, blackjack (*see Quercus marilandica*)

oak, red (*see Quercus rubra*)

oak, white (*see Quercus alba*)

oak growth

Periodic root and shoot growth in oak. **26:590**

Odocoileus hemionus columbianus

Selective plant species inhibition by elk and deer in three conifer communities in western Washington. **26:97**

Odocoileus hemionus sitkensis

Response of deer to secondary forest succession in southeast Alaska. **26:448**

Odocoileus virginianus borealis

The response of forest recreationists to clearcutting in northern Lower Michigan: a preliminary report. **26:81**

old-field vegetation

Allelopathic inhibition of black locust, red clover, and black alder by six common herbaceous species. **26:511**

operational environmental coordinates

An ecological approach to modeling growth of forest trees. **26:33**

optimal control theory

Simultaneous optimization of thinnings and rotation with continuous stocking and entry intervals. **26:338**

optimal harvesting

A two-stage, multiple objective mathematical programming approach to optimal thinning and harvesting. **26:674**

optimal rotation
Derivation of optimal stand density over time—a discrete stage, continuous state dynamic programming solution. **26:217**
The effect of potential catastrophic mortality and other unpredictable events on optimal forest rotation policy. **26:389**
optimal stand density
Derivation of optimal stand density over time—a discrete stage, continuous state dynamic programming solution. **26:217**
optimal thinning
A two-stage, multiple objective mathematical programming approach to optimal thinning and harvesting. **26:674**
optimization
A matrix model of uneven-aged forest management. **26:609**
overstory removal
Response of advance grand fir regeneration to overstory removal in northern Idaho. **26:537**
ownership-supply relationships
The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**
Pacific silver fir (*see* ***Abies amabilis***)
paper birch (*see* ***Betula papyrifera***)
parasitism
Phellinus weirii infestation of two mountain hemlock forests in the Oregon Cascades. **26:23**
pathogenic variation
Pathogenic variation among single-aeciospore isolates of *Cronartium quercuum* f. sp. *fusiforme*. **26:280**
perennial rye (*see* ***Lolium perenne***)
periodic root growth
Periodic root and shoot growth in oak. **26:590**
periodic shoot growth
Periodic root and shoot growth in oak. **26:590**
Peromyscus maniculatus
Control of small mammal damage in the Alberta oil sands reclamation and afforestation program. **26:687**
Phellinus weirii
Phellinus weirii infestation of two mountain hemlock forests in the Oregon Cascades. **26:23**
phenology
Provenance variation in phenology and cold hardiness of western hemlock seedlings. **26:463**
Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**
Phleum pratense
Allelopathic inhibition of black locust, red clover, and black alder by six common herbaceous species. **26:511**
phloem
Within-stand comparisons of inner bark electrical resistance in lodgepole pine—the bark moisture factor. **26:309**
photoperiod
Root growth of sugar maple seedlings in a hydroponic system. **26:231**
photosynthesis
Fluidized bed coating of conifer needles with glass beads for determination of leaf surface area. **26:29**
Influence of constant growth temperature upon the productivity and gas exchange of Scots pine and European larch. **26:301**
Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**
Winter season corticular photosynthesis in *Cornus florida*, *Acer rubrum*, *Quercus alba*, and *Liriodendron tulipifera*. **26:641**
Picea engelmannii
Occurrence of root pressure exudation in Pacific Northwest conifer seedlings. **26:275**
Picea sitchensis
Response of deer to secondary forest succession in southeast Alaska. **26:448**
piezometric level
Risk of landslides in shallow soils and its relation to clearcutting in southeastern Alaska. **26:495**
Pinaceae
Juvenile-mature correlations in Pinaceae and implications for early selection. **26:571**
pine, Digger (*see* ***Pinus sabiniana***)
pine, eastern white (*see* ***Pinus strobus***)
pine, jack (*see* ***Pinus banksiana***)
pine, Jeffrey (*see* ***Pinus jeffreyi***)
pine, loblolly (*see* ***Pinus taeda***)
pine, lodgepole (*see* ***Pinus contorta***)
pine, longleaf (*see* ***Pinus palustris***)
pine, ponderosa (*see* ***Pinus ponderosa***)
pine, ponderosa (*see* ***Pinus ponderosa*** **var.** ***ponderosa***)
pine, Scots (*see* ***Pinus sylvestris***)
pine, shortleaf (*see* ***Pinus echinata***)
pine, slash (*see* ***Pinus elliottii***)
pine, sugar (*see* ***Pinus lambertiana***)
pine, Virginia (*see* ***Pinus virginiana***)
pine seed treatment
Germination responses of pine seed to radiofrequency, infrared, and gas-plasma-radiation treatments. **26:377**
pine stand biomass
Biomass estimation for Virginia pine trees and stands. **26:107**
pine tree biomass
Biomass estimation for Virginia pine trees and stands. **26:107**
Pinus banksiana
Nutrient accumulations in jack pine stands on deep and shallow soils over bedrock. **26:325**
Pinus contorta
Occurrence of root pressure exudation in Pacific Northwest conifer seedlings. **26:275**
Thermal behavior of conifer needle extractives. **26:347**
Within-stand comparisons of inner bark electrical resistance in lodgepole pine—the bark moisture factor. **26:309**
Pinus echinata
Predicting height and relative performance of major southern pines from rainfall, slope, and available soil moisture. **26:437**
The role of mist and chemical treatments in rooting loblolly and shortleaf pine cuttings. **26:651**
Pinus elliottii
Predicting height and relative performance of major southern pines from rainfall, slope, and available soil moisture. **26:437**
Pinus jeffreyi
Germination responses of pine seed to radiofrequency, infrared, and gas-plasma-radiation treatments. **26:377**
Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**
Pinus lambertiana
Germination responses of pine seed to radiofrequency, infrared, and gas-plasma-radiation treatments. **26:377**

Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**

Pinus palustris

Predicting height and relative performance of major southern pines from rainfall, slope, and available soil moisture. **26:437**

Pinus ponderosa

Germination responses of pine seed to radiofrequency, infrared, and gas-plasma-radiation treatments. **26:377**

Occurrence of root pressure exudation in Pacific Northwest conifer seedlings. **26:275**

Preplant soil fumigant increases survival and growth of field planted conifer seedlings. **26:400**

Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**

Thermal behavior of conifer needle extractives. **26:347**

Pinus ponderosa* var. *ponderosa

Genetic variation in seedling progeny of ponderosa pine provenances. **26:Monogr 23**

Pinus ponderosa* var. *scopulorum

Genetic variation in seedling progeny of ponderosa pine provenances. **26:Monogr 23**

Pinus sabiniana

Germination responses of pine seed to radiofrequency, infrared, and gas-plasma-radiation treatments. **26:377**

Pinus strobus

Germination responses of pine seed to radiofrequency, infrared, and gas-plasma-radiation treatments. **26:377**

Relationship between cortical monoterpenes and suscetibility of eastern white pine to white-pine weevil attack. **26:581**

Response of an eastern white pine provenance test to pruning. **26:606**

Pinus sylvestris

Influence of constant growth temperature upon the productivity and gas exchange of Scots pine and European larch. **26:301**

Pinus taeda

Evaluation of two methods for cubic-volume prediction of loblolly pine to any merchantable limit. **26:71**

Germination responses of pine seed to radiofrequency, infrared, and gas-plasma-radiation treatments. **26:377**

Individual tree growth derived from diameter distribution models. **26:626**

Pathogenic variation among single-aeciospore isolates of *Cronartium quercuum* f. sp. *fusiforme*. **26:280**

Predicting height and relative performance of major southern pines from rainfall, slope, and available soil moisture. **26:437**

Predicting mortality with a Weibull distribution. **26:291**

The role of mist and chemical treatments in rooting loblolly and shortleaf pine cuttings. **26:651**

Pinus virginiana

Biomass estimation for Virginia pine trees and stands. **26:107**

IAA involvement in fungal protection of Virginia pine seedlings exposed to methane. **26:172**

Pisolithus tinctorius

Effects of nitrogen fertilization on growth and ectomycorrhizal formation of red oak. **26:529**

Pissodes strobi

Relationship between cortical monoterpenes and susceptibility of eastern white pine to white-pine weevil attack. **26:581**

pistillate inflorescences

Development of floral primordia in white oak. **26:238**

plant species inhibition

Selective plant species inhibition by elk and deer in three conifer communities in western Washington. **26:97**

plant-water potential

Paper birch and white oak saplings differ in responses to drought. **26:313**

plantation minirotation

Yields of minirotation closely spaced hardwoods in temperate regions: review and appraisal. **26:415**

Platanus occidentalis

Rootstock mass of coppiced *Platanus occidentalis* as affected by spacing and rotation length. **26:545**

Yields of minirotation closely spaced hardwoods in temperate regions: review and appraisal. **26:415**

plot size optimization

Plot size optimization. **26:251**

plywood supply relations

The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**

Poa pratensis

Allelochemic interference by quaking aspen leaf litter on selected herbaceous species. **26:429**

poisoning hazards

Control of small mammal damage in the Alberta oil sands reclamation and afforestation program. **26:687**

policy impact simulation

The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**

pollination efficiency

Pollination mechanism and seed production in Douglas-fir. **26:522**

pollination mechanism

Pollination mechanism and seed production in Douglas-fir. **26:522**

ponderosa pine (*see* ***Pinus ponderosa***)

ponderosa pine (*see* ***Pinus ponderosa* var. *ponderosa***)

pooled time series

Effects of input costs, economies of scale, and technological change on international pulp and paper prices. **26:261**

population simulation

Gypsy moth population simulations for Wisconsin. **26:710**

***Populus* spp.**

Yields of minirotation closely spaced hardwoods in temperate regions: review and appraisal. **26:415**

Populus tremuloides

Allelochemic interference by quaking aspen leaf litter on selected herbaceous species. **26:429**

The response of forest recreationists to clearcutting in northern Lower Michigan: a preliminary report. **26:81**

preplant soil fumigant

Preplant soil fumigant increases survival and growth of field planted conifer seedlings. **26:400**

present net worth

A recursive approach to include complex demand equations in economic harvest scheduling. **26:369**

price changes

Effects of input costs, economies of scale, and tech-

nological change on international pulp and paper prices. **26:261**

price movements

The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**

primary production

Biomass estimation for Virginia pine trees and stands. **26:107**

primordia

Development of floral primordia in white oak. **26:238**

probability density function

Individual tree growth derived from diameter distribution models. **26:626**

production analysis

Average yarding slope and distance on settings of simple geometric shape. **26:195**

production-consumption relationships

The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**

production function

Effects of input costs, economies of scale, and technological change on international pulp and paper prices. **26:261**

production technology

Estimating the production technology in the U.S. forest products industries. **26:471**

productivity

Influence of constant growth temperature upon the productivity and gas exchange of Scots pine and European larch. **26:301**

Yields of minirotation closely spaced hardwoods in temperate regions: review and appraisal. **26:415**

projections of supply

The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**

provenance

Genetic variation in seedling progeny of ponderosa pine provenances. **26:Monogr 23**

provenance pruning response

Response of an eastern white pine provenance test to pruning. **26:606**

provenance variation

Provenance variation in phenology and cold hardiness of western hemlock seedlings. **26:463**

pruning

Response of an eastern white pine provenance test to pruning. **26:606**

Pseudotsuga menziesii

Deer browsing of Douglas-fir trees in relation to volatile terpene composition and *in vitro* fermentability. **26:179**

Growth characteristics of the brooms on Douglas-fir caused by *Arceuthobium douglasii*. **26:149**

Mechanical stimulation and xylem production in Douglas-fir. **26:643**

Occurrence of root pressure exudation in Pacific Northwest conifer seedlings. **26:275**

Pollination mechanism and seed production in Douglas-fir. **26:522**

Preplant soil fumigant increases survival and growth of field planted conifer seedlings. **26:400**

Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**

Selective plant species inhibition by elk and deer in three conifer communities in western Washington. **26:97**

Simultaneous optimization of thinnings and rotation with continuous stocking and entry intervals. **26:338**

Stem growth per unit of leaf area: a measure of tree vigor. **26:112**

Thermal behavior of conifer needle extractives. **26:347**

psychological disutility

Replication of a scenic preference function. **26:227**

public behavior

The response of forest recreationists to clearcutting in northern Lower Michigan: a preliminary report. **26:81**

pulp and paper prices

Effects of input costs, economies of scale, and technological change on international pulp and paper prices. **26:261**

pyrolysis

Thermal behavior of conifer needle extractives. **26:347**

quaking aspen (*see* ***Populus tremuloides***)

Quercus alba

Development of floral primordia in white oak. **26:238**

Measurement of sap flow and transpiration in ring-porous oaks using a heat pulse velocity technique. **26:485**

Paper birch and white oak saplings differ in responses to drought. **26:313**

Periodic root and shoot growth in oak. **26:590**

Winter season corticular photosynthesis in *Cornus florida, Acer rubrum, Quercus alba,* and *Liriodendron tulipifera*. **26:641**

Quercus marilandica

Periodic root and shoot growth in oak. **26:590**

Quercus rubra

Effects of nitrogen fertilization on growth and ectomycorrhizal formation of red oak. **26:529**

Gypsy moth larval growth and consumption on red oak. **26:599**

Quercus velutina

Measurement of sap flow and transpiration in ring-porous oaks using a heat pulse velocity technique. **26:485**

Periodic root and shoot growth in oak. **26:590**

radiofrequency heating

Germination responses of pine seed to radiofrequency, infrared, and gas-plasma-radiation treatments. **26:377**

rainfall effect

Predicting height and relative performance of major southern pines from rainfall, slope, and available soil moisture. **26:437**

rate of return

Forest land values and return on investment. **26:91**

recreationists

The response of forest recreationists to clearcutting in northern Lower Michigan: a preliminary report. **26:81**

recurrence equation indexing

Derivation of optimal stand density over time—a discrete stage, continuous state dynamic programming solution. **26:217**

red clover (*see* ***Trifolium pratensis***)

red fir (*see* ***Abies magnifica***)

red maple (*see* ***Acer rubrum***)

red oak (*see* ***Quercus rubra***)

regeneration

Preplant soil fumigant increases survival and growth of field planted conifer seedlings. **26:400**

regeneration response

Response of advance grand fir regeneration to overstory removal in northern Idaho. **26:537**

regional economies

Regional analysis of forest industries: input-output methods. **26:548**

regular spatial pattern

On the convergence of forest stand spatial pattern over time: the cases of regular and aggregated initial spatial patterns. **26:10**

release

Response of advance grand fir regeneration to overstory removal in northern Idaho. **26:537**

resource inventory

Plot size optimization. **26:251**

respiration

Influence of constant growth temperature upon the productivity and gas exchange of Scots pine and European larch. **26:301**

ring-porous oaks

Measurement of sap flow and transpiration in ring-porous oaks using a heat pulse velocity technique. **26:485**

Robinia pseudoacacia

Allelopathic inhibition of black locust, red clover, and black alder by six common herbaceous species. **26:511**

Rocky Mountain elk (*see Cervus canadensis nelsoni*)

Rocky Mountain ponderosa pine (*see Pinus ponderosa* var. *scopulorum*)

rodent control technique

Control of small mammal damage in the Alberta oil sands reclamation and afforestation program. **26:687**

root growth

Periodic root and shoot growth in oak. **26:590**

Root growth of sugar maple seedlings in a hydroponic system. **26:231**

root length distribution

The distribution of root length, and the limits to flow of soil water to roots in a dry sclerophyll forest. **26:656**

root pressure exudation

Occurrence of root pressure exudation in Pacific Northwest conifer seedlings. **26:275**

root regeneration

The role of mist and chemical treatments in rooting loblolly and shortleaf pine cuttings. **26:651**

root-rot fungus (*see Phellinus weirii*)

rootstock mass

Rootstock mass of coppiced *Platanus occidentalis* as affected by spacing and rotation length. **26:545**

rotation determination

The effect of potential catastrophic mortality and other unpredictable events on optimal forest rotation policy. **26:389**

rotation length

Simultaneous optimization of thinnings and rotation with continuous stocking and entry intervals. **26:338**

rotation length effect

Rootstock mass of coppiced *Platanus occidentalis* as affected by spacing and rotation length. **26:545**

rust isolates

Pathogenic variation among single-aeciospore isolates of *Cronartium quercuum* f. sp. *fusiforme*. **26:280**

rye, perennial (*see Lolium perenne*)

sampling

Plot size optimization. **26:251**

sap flow measurement

Measurement of sap flow and transpiration in ring-porous oaks using a heat pulse velocity technique. **26:485**

sap velocity

Measurement of sap flow and transpiration in ring-porous oaks using a heat pulse velocity technique. **26:485**

scenic beauty

Replication of a scenic preference function. **26:227**

scenic impact

Replication of a scenic preference function. **26:227**

scenic preference function

Replication of a scenic preference function. **26:227**

sclerophyll forest

The distribution of root length, and the limits to flow of soil water to roots in a dry sclerophyll forest. **26:656**

Scots pine (*see Pinus sylvestris*)

secondary forest succession

Response of deer to secondary forest succession in southeast Alaska. **26:448**

secondary poisoning hazards

Control of small mammal damage in the Alberta oil sands reclamation and afforestation program. **26:687**

seed production potential

Pollination mechanism and seed production in Douglas-fir. **26:522**

seed treatment

Germination responses of pine seed to radiofrequency, infrared, and gas-plasma-radiation treatments. **26:377**

seedcoat sterilization

Optimal surface sterilization of *Alnus crispa* seeds with merthiolate. **26:483**

seedling damage

IAA involvement in fungal protection of Virginia pine seedlings exposed to methane. **26:172**

seedling development

Growth and endomycorrhizal development of broadleaf seedlings in fumigated nursery soil. **26:403**

seedling growth

Allelochemic interference by quaking aspen leaf litter on selected herbaceous species. **26:429**

Effects of nitrogen fertilization on growth and ectomycorrhizal formation of red oak. **26:529**

Influence of constant growth temperature upon the productivity and gas exchange of Scots pine and European larch. **26:301**

seedling progeny

Genetic variation in seedling progeny of ponderosa pine provenances. **26:Monogr 23**

seedling soil fumigant

Preplant soil fumigant increases survival and growth of field planted conifer seedlings. **26:400**

selection

Juvenile-mature correlations in Pinaceae and implications for early selection. **26:571**

selection forest

A matrix model of uneven-aged forest management. **26:609**

sensitivity analysis

Derivation of optimal stand density over time—a discrete stage, continuous state dynamic programming solution. **26:217**

shade tolerance

Winter season corticular photosynthesis in *Cornus florida*, *Acer rubrum*, *Quercus alba*, and *Liriodendron tulipifera*. **26:641**

shallow soil nutrient content
Nutrient accumulations in jack pine stands on deep and shallow soils over bedrock. **26:325**
Shepherdia argentea
Growth and endomycorrhizal development of broadleaf seedlings in fumigated nursery soil. **26:403**
shoot growth
Periodic root and shoot growth in oak. **26:590**
Root growth of sugar maple seedlings in a hydroponic system. **26:231**
short rotation forestry
Rootstock mass of coppiced *Platanus occidentalis* as affected by spacing and rotation length. **26:545**
shortleaf pine (*see* ***Pinus echinata***)
silver nitrate
The role of mist and chemical treatments in rooting loblolly and shortleaf pine cuttings. **26:651**
silvex
Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**
simple correlations
Genetic variation in seedling progeny of ponderosa pine provenances. **26:Monogr 23**
simulation
An ecological approach to modeling growth of forest trees. **26:33**
Gypsy moth population simulations for Wisconsin. **26:710**
A recursive approach to include complex demand equations in economic harvest scheduling. **26:369**
simultaneous optimization
Simultaneous optimization of thinnings and rotation with continuous stocking and entry intervals. **26:338**
single-spore isolates
Pathogenic variation among single-aeciospore isolates of *Cronartium quercuum* f. sp. *fusiforme*. **26:280**
site index
Site index, growth, and foliar chemical composition relationships in western hemlock. **26:283**
Sitka black-tailed deer (*see* ***Odocoileus hemionus sitkensis***)
Sitka spruce (*see* ***Picea sitchensis***)
slash pine (*see* ***Pinus elliottii***)
slope effect
Predicting height and relative performance of major southern pines from rainfall, slope, and available soil moisture. **26:437**
slope stability
Risk of landslides in shallow soils and its relation to clearcutting in southeastern Alaska. **26:495**
small mammal damage control
Control of small mammal damage in the Alberta oil sands reclamation and afforestation program. **26:687**
smooth brome (*see* ***Bromus inermis***)
softwood timber market
The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**
soil-clearcutting-landslide relationship
Risk of landslides in shallow soils and its relation to clearcutting in southeastern Alaska. **26:495**
soil-climate-site relationships
Predicting height and relative performance of major southern pines from rainfall, slope, and available soil moisture. **26:437**
soil fumigation
Growth and endomycorrhizal development of broadleaf seedlings in fumigated nursery soil. **26:403**
soil moisture effect
Predicting height and relative performance of major southern pines from rainfall, slope, and available soil moisture. **26:437**
soil nitrogen availability
Prediction of soil nitrogen availability in forest ecosystems: a literature review. **26:159**
soil nutrient content
Nutrient accumulations in jack pine stands on deep and shallow soils over bedrock. **26:325**
soil-plant-water relationships
Predicting height and relative performance of major southern pines from rainfall, slope, and available soil moisture. **26:437**
soil testing
Prediction of soil nitrogen availability in forest ecosystems: a literature review. **26:159**
soil treatment
Preplant soil fumigant increases survival and growth of field planted conifer seedlings. **26:400**
soil water
Paper birch and white oak saplings differ in responses to drought. **26:313**
soil water characteristics
The distribution of root length, and the limits to flow of soil water to roots in a dry sclerophyll forest. **26:656**
soil water flow
The distribution of root length, and the limits to flow of soil water to roots in a dry sclerophyll forest. **26:656**
Solidago altissima
Allelopathic inhibition of black locust, red clover, and black alder by six common herbaceous species. **26:511**
somatic embryos
Embryogenesis in tissue cultures of sweetgum. **26:257**
southern forest industries
Regional analysis of forest industries: input-output methods. **26:548**
southern pine beetle (*see* ***Dendroctonus frontalis***)
southern pines
Pathogenic variation among single-aeciospore isolates of *Cronartium quercuum* f. sp. *fusiforme*. **26:280**
spacing coppice
Rootstock mass of coppiced *Platanus occidentalis* as affected by spacing and rotation length. **26:545**
spatial pattern
On the convergence of forest stand spatial pattern over time: the cases of regular and aggregated initial spatial patterns. **26:10**
species selection
Predicting height and relative performance of major southern pines from rainfall, slope, and available soil moisture. **26:437**
spline approximation
Log volume estimation with spline approximation. **26:361**
spruce, Engelmann (*see* ***Picea engelmannii***)
spruce, Sitka (*see* ***Picea sitchensis***)
spruce budworm defoliation
Effects of insect defoliation on growth and foliar nutrients of young balsam fir. **26:665**
staminate inflorescences
Development of floral primordia in white oak. **26:238**
stand simulation
Individual tree growth derived from diameter distribution models. **26:626**

stand spatial pattern
On the convergence of forest stand spatial pattern over time: the cases of regular and aggregated initial spatial patterns. **26:10**
stand structure
Plot size optimization. **26:251**
stationarity assumption
Is succession in hardwood forests a stationary Markov process? **26:566**
stationary Markov process
Is succession in hardwood forests a stationary Markov process? **26:566**
stem growth
Stem growth per unit of leaf area: a measure of tree vigor. **26:112**
stem taper
Log volume estimation with spline approximation. **26:361**
stem transport area
Measurement of sap flow and transpiration in ring-porous oaks using a heat pulse velocity technique. **26:485**
sterilizing seedcoats
Optimal surface sterilization of *Alnus crispa* seeds with merthiolate. **26:483**
stochastic effects
The effect of potential catastrophic mortality and other unpredictable events on optimal forest rotation policy. **26:389**
stocking
Stem growth per unit of leaf area: a measure of tree vigor. **26:112**
stratification
Germination responses of pine seed to radiofrequency, infrared, and gas-plasma-radiation treatments. **26:377**
strip-mine rehabilitation
Allelopathic inhibition of black locust, red clover, and black alder by six common herbaceous species. **26:511**
structural wood substitutes
Competition between wood products and substitute structural products: an econometric analysis. **26:134**
stumpage price movements
The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**
substitute structural products
Competition between wood products and substitute structural products: an econometric analysis. **26:134**
substitution elasticities
Estimating the production technology in the U.S. forest products industries. **26:471**
succession
An ecological approach to modeling growth of forest trees. **26:33**
sugar maple (*see* ***Acer saccharum***)
sugar pine (*see* ***Pinus lambertiana***)
supply-demand relationships
Competition between wood products and substitute structural products: an econometric analysis. **26:134**
The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**
suppression
Response of advance grand fir regeneration to overstory removal in northern Idaho. **26:537**
survival increase
Preplant soil fumigant increases survival and growth of field planted conifer seedlings. **26:400**
survival model
Predicting mortality with a Weibull distribution. **26:291**
sustained yield
A matrix model of uneven-aged forest management. **26:609**
sweetgum (*see* ***Liquidambar styraciflua***)
sycamore, American (*see* ***Platanus occidentalis***)
synecology
Classifying forest habitat types based on potential climax vegetation. **26:52**
syntaxonomy
Classifying forest habitat types based on potential climax vegetation. **26:52**
tall fescue (*see* ***Festuca arundinacea, Festuca elatior***)
taper
Avoiding dendrometry bias when trees lean or taper. **26:203**
taper equation
Evaluation of two methods for cubic-volume prediction of loblolly pine to any merchantable limit. **26:71**
taper functions
Development of taper functions from variable-top merchantable volume equations. **26:117**
terpene composition
Deer browsing of Douglas-fir trees in relation to volatile terpene composition and *in vitro* fermentability. **26:179**
thermal analysis
Thermal behavior of conifer needle extractives. **26:347**
thinning guide
Response of advance grand fir regeneration to overstory removal in northern Idaho. **26:537**
thinning model
A two-stage, multiple objective mathematical programming approach to optimal thinning and harvesting. **26:674**
thinning optimization
Simultaneous optimization of thinnings and rotation with continuous stocking and entry intervals. **26:338**
Timber Assessment Market Model
The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**
timber harvest
Average yarding slope and distance on settings of simple geometric shape. **26:195**
timber harvest scheduling
Complementary linear and goal programming procedures for timber harvest scheduling. **26:121**
Economic analysis of the allowable cut effect. **26:633**
timber investment analysis
Economic analysis of the allowable cut effect. **26:633**
timber management
Complementary linear and goal programming procedures for timber harvest scheduling. **26:121**
timber market model
The 1980 softwood timber assessment market model: structures, projections, and policy simulations. **26:Monogr 22**
timber price increase
Forest land values and return on investment. **26:91**

time-plot size relationship
Plot size optimization. **26:251**
time-series observations
Effects of input costs, economies of scale, and technological change on international pulp and paper prices. **26:261**
time studies
Average yarding slope and distance on settings of simple geometric shape. **26:195**
timothy (*see* ***Phleum pratense***)
tissue culture
Embryogenesis in tissue cultures of sweetgum. **26:257**
tolerance
Winter season corticular photosynthesis in *Cornus florida, Acer rubrum, Quercus alba,* and *Liriodendron tulipifera*. **26:641**
transpiration
Fluidized bed coating of conifer needles with glass beads for determination of leaf surface area. **26:29**
Measurement of sap flow and transpiration in ring-porous oaks using a heat pulse velocity technique. **26:485**
Paper birch and white oak saplings differ in responses to drought. **26:313**
treatment effects measuring
Measuring treatment effects through comparisons along plot boundaries. **26:704**
tree form
Development of taper functions from variable-top merchantable volume equations. **26:117**
tree girdling damage
Control of small mammal damage in the Alberta oil sands reclamation and afforestation program. **26:687**
tree growth model
Individual tree growth derived from diameter distribution models. **26:626**
tree improvement
The role of mist and chemical treatments in rooting loblolly and shortleaf pine cuttings. **26:651**
tree phenology
Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**
tree response
Effects of insect defoliation on growth and foliar nutrients of young balsam fir. **26:665**
tree vigor measure
Stem growth per unit of leaf area: a measure of tree vigor. **26:112**
trefoil, birdsfoot (*see* ***Lotus corniculatus***)
trembling aspen (*see* ***Populus tremuloides***)
trichlopyr
Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**
Trifolium pratensis
Allelopathic inhibition of black locust, red clover, and black alder by six common herbaceous species. **26:511**
Tsuga heterophylla
Provenance variation in phenology and cold hardiness of western hemlock seedlings. **26:463**
Response of deer to secondary forest succession in southeast Alaska. **26:448**
Selective plant species inhibition by elk and deer in three conifer communities in western Washington. **26:97**
Site index, growth, and foliar chemical composition relationships in western hemlock. **26:283**
Tsuga mertensiana
Phellinus weirii infestation of two mountain hemlock forests in the Oregon Cascades. **26:23**
2,4-D
Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**
2,4,5-T
Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**
two-stage programming model
A two-stage, multiple objective mathematical programming approach to optimal thinning and harvesting. **26:674**
understory nutrients
Nutrient accumulations in jack pine stands on deep and shallow soils over bedrock. **26:325**
understory species
Allelochemic interference by quaking aspen leaf litter on selected herbaceous species. **26:429**
uneven-aged management model
A matrix model of uneven-aged forest management. **26:609**
ungulate use
Selective plant species inhibition by elk and deer in three conifer communities in western Washington. **26:97**
variable-top merchantable volume
Development of taper functions from variable-top merchantable volume equations. **26:117**
vector optimization
Complementary linear and goal programming procedures for timber harvest scheduling. **26:121**
vegetation classification
Classifying forest habitat types based on potential climax vegetation. **26:52**
vegetative propagation
Embryogenesis in tissue cultures of sweetgum. **26:257**
The role of mist and chemical treatments in rooting loblolly and shortleaf pine cuttings. **26:651**
vesicular-arbuscular mycorrhizae
Growth and endomycorrhizal development of broadleaf seedlings in fumigated nursery soil. **26:403**
Virginia pine (*see* ***Pinus virginiana***)
vole, meadow (*see* ***Microtus pennsylvanicus***)
volume equations
Development of taper functions from variable-top merchantable volume equations. **26:117**
volume estimation
Log volume estimation with spline approximation. **26:361**
volume prediction
Evaluation of two methods for cubic-volume prediction of loblolly pine to any merchantable limit. **26:71**
water culture
Root growth of sugar maple seedlings in a hydroponic system. **26:231**
water stress
Paper birch and white oak saplings differ in responses to drought. **26:313**
Periodic root and shoot growth in oak. **26:590**
Seasonal tolerance of six coniferous species to eight foliage-active herbicides. **26:3**
weevil, white-pine (*see* ***Pissodes strobi***)
weevil attack susceptibility
Relationship between cortical monoterpenes and

susceptibility of eastern white pine to white-pine weevil attack. **26:581**

Weibull distribution

On the convergence of forest stand spatial pattern over time: the cases of regular and aggregated initial spatial patterns. **26:10**

Predicting mortality with a Weibull distribution. **26:291**

western hemlock (*see* ***Tsuga heterophylla***)

western larch (*see* ***Larix occidentalis***)

white fir (*see* ***Abies concolor***)

white oak (*see* ***Quercus alba***)

white pine, eastern (*see* ***Pinus strobus***)

white-pine weevil (*see* ***Pissodes strobi***)

white-tailed deer (*see* ***Odocoileus virginianus borealis***)

winter photosynthesis

Winter season corticular photosynthesis in *Cornus florida, Acer rubrum, Quercus alba,* and *Liriodendron tulipifera*. **26:641**

within-plot variation

Measuring treatment effects through comparisons along plot boundaries. **26:674**

wood product competition

Competition between wood products and substitute structural products: an econometric analysis. **26:134**

wood product substitutes

Competition between wood products and substitute structural products: an econometric analysis. **26:134**

wound closure

Response of an eastern white pine provenance test to pruning. **26:606**

xylem production

Mechanical stimulation and xylem production in Douglas-fir. **26:643**

xylem sap flux

Measurement of sap flow and transpiration in ring-porous oaks using a heat pulse velocity technique. **26:485**

yarding distance

Average yarding slope and distance on settings of simple geometric shape. **26:195**

yarding slope

Average yarding slope and distance on settings of simple geometric shape. **26:195**

yellow-poplar (*see* ***Liriodendron tulipifera***)

Author Index[1]

ADAMS, DARIUS M., **26:Monogr 22**
ADAMS, DAVID L., **26:537**
ADAMS, ROBERT E., **26:529**
ALLEN, DOUGLAS C., **26:702** (rev.)
ARNDT, LINDA K., **26:227**
ARNO, STEPHEN F., **26:52**
BAILEY, ROBERT L., **26:626**
BARE, B. BRUCE, **26:91**
BARTLE, G. A., **26:656**
BECKJORD, PETER R., **26:529**
BELCHER, E. W., JR., **26:377**
BENECKE, U., **26:29**
BIGING, GREGORY S., **26:710**
BINKLEY, CLARK S., **26:566; 26:633**
BOWERS, JOHN R., **26:548**
BRODIE, J. DOUGLAS, **26:338**
BROWN, C. L., **26:257**
BROWN, GREGORY N., **26:50** (rev.)
BUHYOFF, GREGORY J., **26:227**
BUONGIORNO, JOSEPH, **26:261; 26:609**
BURKHART, HAROLD E., **26:71**
CAMPBELL, ROBERT W., **26:435**
CANNELL, M. G. R., **26:415**
CAO, QUANG V., **26:71**
CARBON, B. A., **26:656**
CHEN, CHUNG M., **26:217**
CHING, K. K., **26:463**
CHRISTENSEN, T. W., **26:485**
CLUTTER, JEROME L., **26:117**
COE, JAN M., **26:561**
COLE, DENNIS L., **26:309**
CONARD, S. G., **26:3**
CONNOLLY, GUY E., **26:179**
COOK, S. A., **26:23**
CROXDALE, J. G., **26:238**
DAELLENBACH, H. G., **26:674**
DAVIES, C. E., **26:29**
DE BELL, D. S., **26:283**
DE KLUYVER, C. E., **26:674**
DRESS, PETER E., **26:10; 26:121**
DUVENDECK, JERRY P., **26:81**
ELLISON, BARBARA O., **26:179**
FARRAR, KENNETH D., **26:193**
FEDERER, C. A., **26:313**
FERET, P. P., **26:238**
FERGUSON, DENNIS E., **26:537**
FERRELL, WILLIAM K., **26:589** (rev.)
FIELD, RICHARD C., **26:121**
FLEMING, JOHN W., **26:179**
FLICK, WARREN A., **26:548**
FORTSON, JAMES C., **26:121**
GENG, SHU, **26:179**
GEISSLER, PETER J., **26:134**
GHOLZ, HENRY L., **26:2** (rev.)
GIESE, RONALD L., **26:710**
GILLESS, JAMES K., **26:261**
GOODENOUGH, J. L., **26:377**
GOWIN, T., **26:301**
GREEN, D. C., **26:325**
GREENWOOD, M. S., **26:651**
GREULICH, FRANCIS E., **26:195**
GRIGAL, D. F., **26:325**
GROSENBAUGH, L. R., **26:203**
HANLEY, THOMAS A., **26:97**
HANOVER, JAMES W., **26:231**
HARMS, WILLIAM R., **26:291**
HART, JOHN H., **26:606**
HAYNES, RICHARD W., **26:178** (rev.); **26:Monogr 22**
HINCKLEY, T. M., **26:590**
HO, RONG H., **26:522**
JOBIDON, R., **26:483**
JOHNSON, P. S., **26:590**
KAO, CHIANG, **26:338**
KAPUSTKA, LAWRENCE A., **26:429**
KEENEY, DENNIS R., **26:159**
KELLOGG, R. M., **26:643**
KENT, BRIAN M., **26:10**
KEPNER, RICHARD E., **26:179**
KLARMAN, W. L., **26:172**
KLOCK, G. O., **26:400**
KNUTSON, DONALD M., **26:149**
KOCH, RUDY G., **26:429**
KREH, R. E., **26:107**
KRUGMAN, S. L., **26:377**
KUSER, J. E., **26:463**
LAMBETH, CLEM C., **26:571**
LANGDON, O. GORDON, **26:291**
LANGENAU, EDWARD E., JR., **26:81**
LARSON, M. M., **26:511**
LEARY, ROLFE A., **26:217**
LEMMIEN, WALTER A., **26:606**
LEUSCHNER, WILLIAM A., **26:227**
LIU, C. J., **26:361**
LONGHURST, WILLIAM M., **26:179**
LOPUSHINSKY, WILLIAM, **26:275**
LOURTIOUX, A., **26:301**
MCCAULEY, KEVIN J., **26:23**
MCHENRY, W. B., **26:3**
MCKILLOP, WILLIAM, **26:134**
MCLAUGHLIN, S. B., **26:561**
MACPHERSON, D. K., **26:656**
MADGWICK, H. A. I., **26:107**
MARINO, T. M., **26:651**
MARSHALL, PAUL E., **26:413** (rev.)
MAX, TIMOTHY A., **26:71**

[1] (rev.) = book review
(com.) = comment

Meier, R. D., 26:651
Merkle, S. A., 26:238
Michie, Bruce R., 26:609
Miller, David R., 26:485
Mousseau, M., 26:301
Murray, A. M., 26:656
Muscato, D., 26:112
Nelson, S. O., 26:377
Nordheim, Erik V., 26:710
Norris, Logan A., 26:215 (rev.)
Nwoboshi, Louis C., 26:545
Oderwald, Richard D., 26:193; 26:291
Oh, John H., 26:179
O'Quin, Karen, 26:81
Pettibone, C. A., 26:377
Pfister, Robert D., 26:52
Piene, Harald, 26:665
Powers, H. R., Jr., 26:280
Radosevich, S. R., 26:3
Radvanyi, Andrew, 26:687
Radwan, M. A., 26:283
Reed, Kenneth L., 26:33
Reich, P. B., 26:590
Riffle, Jerry, 26:403
Robinson, Vernon L., 26:580 (com.)
Roncoroni, E. J., 26:3
Rose, Dietmar W., 26:217
Routledge, R. D., 26:389
Russell, Gerald F., 26:179
Schmidt, J. S., 26:374
Schoen, John W., 26:448
Schwarz, E. L., 26:511
Shahan, K. W., 26:651
Sharik, T. L., 26:238
Sherwood, J. L., 26:172
Shoulders, Eugene, 26:437
Smith, David Wm., 26:529
Smith, R. I., 26:415
Somers, Greg L., 26:291
Sommer, H. E., 26:257
Squillace, A. E., 26:704
Steinbeck, Klaus, 26:545
Stetson, L. E., 26:377
Steucek, G. L., 26:643
Stier, Jeffrey C., 26:471
Stone, R. B., 26:377
Stuart, Thomas W., 26:134
Stuart, William B., 26:193
Susott, Ronald A., 26:347
Swanston, Douglas N., 26:495
Swindel, Benee F., 26:704
Taber, Richard D., 26:97
Talerico, Robert L., 26:599
Tedder, Philip L., 26:369; 26:374
Teskey, R. O., 26:590
Thibault, J.-R., 26:483
Thies, W. G., 26:112
Tiarks, Allen E., 26:437
Tinnin, Robert O., 26:149
Trenchi, Peter, III, 26:548
Valentine, Harry T., 26:599
Vavrina, C. A., 26:485
Waggener, Thomas R., 26:91
Wallmo, Olof C., 26:448
Waring, R. H., 26:112
Whyte, A. C. D., 26:674
Wilkinson, Ronald, 26:581
Wood, Bruce W., 26:231
Works, D. W., 26:377
Wright, Jonathan W., 26:606
Wu, Tien H., 26:495
Younger, Patti D., 26:429
Zeide, Boris, 26:251

U.S. POSTAL SERVICE

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

(Required by 39 U.S.C. 3685)

1. TITLE OF PUBLICATION	A. PUBLICATION NO.	2. DATE OF FILING
Forest Science		September 18,1980
3. FREQUENCY OF ISSUE	**A. NO. OF ISSUES PUBLISHED ANNUALLY**	**B. ANNUAL SUBSCRIPTION PRICE** U.S. Foreign
Quarterly	4	Individual $16 $20 Institutions $26 $30

4. LOCATION OF KNOWN OFFICE OF PUBLICATION *(Street, City, County, State and ZIP Code) (Not printers)*
5400 Grosvenor Lane, Washington, D. C. 20014

5. LOCATION OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS *(Not printers)*
5400 Grosvenor Lane, Washington, D. C. 20014

6. NAMES AND COMPLETE ADDRESSES OF PUBLISHER, EDITOR, AND MANAGING EDITOR

PUBLISHER *(Name and Address)*
Society of American Foresters, 5400 Grosvenor Lane, Washington, D. C. 20014

EDITOR *(Name and Address)*
Gregory N. Brown, College of Forestry, Univ. of Minnesota, St. Paul, Minn. 55108

MANAGING EDITOR *(Name and Address)*
None

7. OWNER *(If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be giving. If the publication is published by a nonprofit organization, its name and address must be stated.)*

NAME	ADDRESS
Society of American Foresters	5400 Grosvenor Lane, Washington,D.C. 20014

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES *(If there are none, so state)*

NAME	ADDRESS
None	

9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES *(Section 132.122, PSM)*
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes *(Check one)*

[X] HAVE NOT CHANGED DURING PRECEDING 12 MONTHS [ ] HAVE CHANGED DURING PRECEDING 12 MONTHS *(If changed, publisher must submit explanation of change with this statement.)*

10. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES PRINTED *(Net Press Run)*	1,950	2,000
B. PAID CIRCULATION 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES		
2. MAIL SUBSCRIPTIONS	1,596	1,616
C. TOTAL PAID CIRCULATION *(Sum of 10B1 and 10B2)*	1,596	1,579
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	37	37
E. TOTAL DISTRIBUTION *(Sum of C and D)*	1,633	1,616
F. COPIES NOT DISTRIBUTED 1. OFFICE USE, LEFT OVER, UNACCOUNTED, SPOILED AFTER PRINTING	317	384
2. RETURNS FROM NEWS AGENTS		
G. TOTAL *(Sum of E, F1 and 2—should equal net press run shown in A)*	1,950	2,000

11. I certify that the statements made by me above are correct and complete.

SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER
John C. Barber Exec. Vice Pres.

12. FOR COMPLETION BY PUBLISHERS MAILING AT THE REGULAR RATES *(Section 132.121, Postal Service Manual)*

39 U. S. C. 3626 provides in pertinent part: "No person who would have been entitled to mail matter under former section 4359 of this title shall mail such matter at the rates provided under this subsection unless he files annually with the Postal Service a written request for permission to mail matter at such rates."

In accordance with the provisions of this statute, I hereby request permission to mail the publication named in item 1 at the phased postage rates presently authorized by 39 U. S. C. 3626.

SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER
John C. Barber Exec. Vice Pres.

Forest Science

Volume 26, 1980

Gregory N. Brown — *Editor*

William P. Everard — *Staff Editor*

Nancy Hill — *Business Manager*

FOREST SCIENCE is published quarterly by the Society of American Foresters with the cooperation of forestry research and educational organizations.

The journal assumes no responsibility for the statements and opinions expressed by contributors. The editors cannot be responsible for loss or damage of manuscripts and accompanying matter.

Correspondence concerning manuscripts submitted for publication should be addressed to Dr. Gregory N. Brown, School of Forestry, University of Minnesota, St. Paul, MN 55108.

Other correspondence, including subscriptions, remittances, reprint orders, and inquiries concerning the status of manuscripts accepted for publication should be addressed to the Society of American Foresters, 5400 Grosvenor Lane, Washington, D.C. 20014.

For all subscribers except members of the Society of American Foresters, subscription price, which includes any *Forest Science Monographs* issued during the year, is $30 per year postpaid for institutions in the U.S. ($34 for institutions in foreign countries) and $18 for nonmember individuals in the U.S. ($22 for nonmember individuals in foreign countries): for Society members the respective prices are $14 and $18. Missing issues covered by paid subscription will be replaced without charge if claim is made within 90 days after date of issue for addresses in the U.S. and Canada; elsewhere within 7 months. Otherwise payment of the single-issue price will be required.

The pages of FOREST SCIENCE are open to all qualified contributors. Preference will be given to papers dealing with (a) basic research, (b) research techniques and procedures, and (c) subjects fundamental to forestry such as forest soils, forest tree physiology, forest genetics, biometrics, theoretical forest economics, wood anatomy and chemistry, forest insects, and the diseases of forest trees. A charge of $60 per page to cover printing costs (but no editorial or distribution costs, or costs of reprints) will be made against the author or his agency.

Published by the
SOCIETY OF AMERICAN FORESTERS
5400 Grosvenor Lane
Washington, D.C. 20014

Number 1, March 1980

Seasonal tolerance of six coniferous species to eight foliage-active herbicides ---------- *S. R. Radosevich, E. J. Roncoroni, S. G. Conard, W. B. McHenry* 3

On the convergence of forest stand spatial pattern over time: the cases of regular and aggregated initial spatial patterns -------- *Brian M. Kent, Peter E. Dress* 10

Phellinus weirii infestation of two mountain hemlock forests in the Oregon Cascades ---------- *Kevin J. McCauley, S. A. Cook* 23

An ecological approach to modeling growth of forest trees ---- *Kenneth L. Reed* 33

Classifying forest habitat types based on potential climax vegetation ---------- *Robert D. Pfister, Stephen F. Arno* 52

Evalution of two methods for cubic-volume prediction of loblolly pine to any merchantable limit ---- *Quang V. Cao, Harold E. Burkhart, Timothy A. Max* 71

The response of forest recreationists to clearcutting in northern Lower Michigan: a preliminary report ---------- *Edward E. Langenau, Jr., Karen O'Quin, Jerry P. Duvendeck* 81

Selective plant species inhibition by elk and deer in three conifer communities in western Washington ---------- *Thomas A. Hanley, Richard D. Taber* 97

Stem growth per unit of leaf area: a measure of tree vigor ---------- *R. H. Waring, W. G. Thies, D. Muscato* 112

Complementary linear and goal programming procedures for timber harvest scheduling ---------- *Richard C. Field, Peter E. Dress, James C. Fortson* 121

Competition between wood products and substitute structural products: an econometric analysis ---- *William McKillop, Thomas W. Stuart, Peter J. Geissler* 134

Growth characteristics of the brooms on Douglas-fir caused by *Arceuthobium douglasii* ---------- *Robert O. Tinnin, Donald M. Knutson* 149

Prediction of soil nitrogen availability in forest ecosystems: a literature review ---------- *Dennis R. Keeney* 159

Notes

Fluidized bed coating of conifer needles with glass beads for determination of leaf surface area ---------- *C. E. Davies, U. Benecke* 29

Forest land values and return on investment ---------- *B. Bruce Bare, Thomas R. Waggener* 91

Biomass estimation for Virginia pine trees and stands ---------- *H. A. I. Madgwick, R. E. Kreh* 107

Development of taper functions from variable-top merchantable volume equations ---------- *Jerome L. Clutter* 117

IAA involvement in fungal protection of Virginia pine seedlings exposed to methane ---------- *J. L. Sherwood, W. L. Klarman* 172

Reviews

Pattern and process in a forested ecosystem. *Reviewed by Henry L. Gholz* 2

Physiology of woody plants. *Reviewed by Gregory N. Brown* ---------- 50

Announcement

International Society of Tropical Foresters reactivated ---------- 70

Number 2, June 1980

Deer browsing of Douglas-fir trees in relation to volatile terpene composition and *in vitro* fermentability ..... *Guy E. Connolly, Barbara O. Ellison, John W. Fleming, Shu Geng, Richard E. Kepner, William M. Longhurst, John H. Oh, Gerald F. Russell* 179

Average yarding slope and distance on settings of simple geometric shape ..... *Francis E. Greulich* 195

Avoiding dendrometry bias when trees lean or taper ..... *L. R. Grosenbaugh* 203

Derivation of optimal stand density over time—a discrete stage, continuous state dynamic programming solution ..... *Chung M. Chen, Dietmar W. Rose, Rolfe A. Leary* 217

Root growth of sugar maple seedlings in a hydroponic system ..... *Bruce W. Wood, James W. Hanover* 231

Development of floral primordia in white oak ..... *S. A. Merkle, P. P. Feret, J. G. Croxdale, T. L. Sharik* 238

Plot size optimization ..... *Boris Zeide* 251

Effects of input costs, economies of scale, and technological change on international pulp and paper prices ..... *Joseph Buongiorno, James K. Gilless* 261

Occurrence of root pressure exudation in Pacific Northwest conifer seedlings ..... *William Lopushinsky* 275

Site index, growth, and foliar chemical composition relationships in western hemlock ..... *M. A. Radwan, D. S. DeBell* 283

Predicting mortality with a Weibull distribution ..... *Greg L. Somers, Richard G. Oderwald, William R. Harms, O. Gordon Langdon* 291

Influence of constant growth temperature upon the productivity and gas exchange of seedlings of Scots pine and European larch ..... *T. Gowin, A. Lourtioux, M. Mousseau* 301

Paper birch and white oak saplings differ in responses to drought ..... *C. A. Federer* 313

Nutrient accumulations in jack pine stands on deep and shallow soils over bedrock ..... *D. C. Green, D. F. Grigal* 325

Notes

The Forest Model file: a mapped stand library at Virginia Tech ..... *Richard G. Oderwald, William B. Stuart, Kenneth D. Farrar* 193

Replication of a scenic preference function ..... *Gregory J. Buhyoff, William A. Leuschner, Linda K. Arndt* 227

Embryogenesis in tissue cultures of sweetgum ..... *H. E. Sommer, C. L. Brown* 257

Pathogenic variation among single-aeciospore isolates of *Cronartium quercuum* f. sp. *fusiforme* ..... *H. R. Powers, Jr.* 280

Within-stand comparisons of inner bark electrical resistance in lodgepole pine—the bark moisture factor ..... *Dennis M. Cole* 309

Reviews

Forest resource management: decision-making principles and cases. *Reviewed by Richard W. Haynes* 178

Chemical concepts in pollutant behavior. *Reviewed by Logan A. Norris* 215

Manuscript reviewers, 1979 334

Number 3, September 1980

Simultaneous optimization of thinnings and rotation with continuous stocking and entry intervals ... *Chiang Kao, J. Douglas Brodie* 338

Thermal behavior of conifer needle extractives ... *Ronald A. Susott* 347

Log volume estimation with spline approximation ... *C. J. Liu* 361

Germination responses of pine seed to radiofrequency, infrared, and gas-plasma-radiation treatments ... *S. O. Nelson, S. L. Krugman, L. E. Stetson, E. W. Belcher, Jr., D. W. Works, R. B. Stone, C. A. Pettibone, J. L. Goodenough* 377

The effect of potential catastrophic mortality and other unpredictable events on optimal forest rotation policy ... *R. D. Routledge* 389

Growth and endomycorrhizal development of broadleaf seedlings in fumigated nursery soil ... *Jerry W. Riffle* 403

Yields of minirotation closely spaced hardwoods in temperate regions: review and appraisal ... *M. G. R. Cannell, R. I. Smith* 415

Allelochemic interference by quaking aspen leaf litter on selected herbaceous species ... *Patti D. Younger, Rudy G. Koch, Lawrence A. Kapustka* 429

Predicting height and relative performance of major southern pines from rainfall, slope, and available soil moisture ... *Eugene Shoulders, Allan E. Tiarks* 437

Response of deer to secondary forest succession in southeast Alaska ... *Olof C. Wallmo, John W. Schoen* 448

Provenance variation in phenology and cold hardiness of western hemlock seedlings ... *J. E. Kuser, K. K. Ching* 463

Estimating the production technology in the U.S. forest products industries ... *Jeffrey C. Stier* 471

Measurement of sap flow and transpiration in ring-porous oaks using a heat pulse velocity technique ... *David R. Miller, C. A. Vavrina, T. W. Christensen* 485

Risk of landslides in shallow soils and its relation to clearcutting in southeastern Alaska ... *Tien H. Wu, Douglas N. Swanston* 495

Allelopathic inhibition of black locust, red clover, and black alder by six common herbaceous species ... *M. M. Larson, E. L. Schwarz* 511

Notes

A recursive approach to include complex demand equations in economic harvest scheduling ... *Philip L. Tedder* 369

Allowable cut effect and the ECHO algorithm ... *P. L. Tedder, J. S. Schmidt* 374

Preplant soil fumigant increases survival and growth of field planted conifer seedlings ... *G. O. Klock* 400

Optimal surface sterilization of *Alnus crispa* seeds with merthiolate ... *R. Jobidon, J.-R. Thibault* 483

Reviews

Principles of silviculture (second edition). *Reviewed by Paul E. Marshall* ... 413

Adaptive environmental assessment and management. *Reviewed by Robert W. Campbell* ... 435

Announcements

Call for papers: systems analysis in forestry and forest industries ... 346

Bibliography available—A bibliography of worldwide literature on individual tree based forest stand growth models ... 360

Forest Science Monograph 22: The 1980 softwood timber assessment market model: structure, projections, and policy simulations. By Darius M. Adams and Richard W. Haynes. (Mailed concurrently with this issue of *Forest Science* as a separate.)

Number 4, December 1980

Pollination mechanism and seed production potential in Douglas-fir ---- *Rong H. Ho* 522

Effects of nitrogen fertilization on growth and ectomycorrhizal formation of red oak ---- *Peter R. Beckjord, Robert E. Adams, David Wm. Smith* 529

Response of advance grand fir regeneration to overstory removal in northern Idaho ---- *Dennis E. Ferguson, David L. Adams* 537

Regional analysis of forest industries: input-output methods ---- *Warren A. Flick, Peter Trenchi III, John R. Bowers* 548

Winter season corticular photosynthesis in *Cornus florida, Acer rubrum, Quercus alba,* and *Liriodendron tulipifera* ---- *Jan M. Coe, S. B. McLaughlin* 561

Juvenile-mature correlations in Pinaceae and implications for early selection ---- *Clem C. Lambeth* 571

Relationship between cortical monoterpenes and susceptibility of eastern white pine to white-pine weevil attack ---- *Ronald C. Wilkinson* 581

Periodic root and shoot growth in oak ---- *P. Reich, R. O. Teskey, P. S. Johnson, T. M. Hinckley* 590

Gypsy moth larval growth and consumption on red oak ---- *Harry T. Valentine, Robert L. Talerico* 599

A matrix model of uneven-aged forest management ---- *Joseph Buongiorno, Bruce R. Michie* 609

Individual tree growth derived from diameter distribution models ---- *Robert L. Bailey* 626

Economic analysis of the allowable cut effect ---- *Clark S. Binkley* 633

Mechanical stimulation and xylem production in Douglas-fir ---- *R. M. Kellogg, G. L. Steucek* 643

The distribution of root length, and the limits to flow of soil water to roots in a dry sclerophyll forest ---- *B. A. Carbon, G. A. Bartle, A. M. Murray, D. K. Macpherson* 656

Effects of insect defoliation on growth and foliar nutrients of young balsam fir ---- *Harald Piene* 665

A two-stage, multiple objective mathematical programming approach to optimal thinning and harvesting ---- *C. A. de Kluyver, H. G. Daellenbach, A. G. D. Whyte* 674

Control of small mammal damage in the Alberta oil sands reclamation and afforestation program ---- *Andrew Radvanyi* 687

Measuring treatment effects through comparisons along plot boundaries ---- *Benee F. Swindel, A. E. Squillace* 704

Gypsy moth population simulation for Wisconsin ---- *Gregory S. Biging, Ronald L. Giese, Erik V. Nordheim* 710

Notes

Rootstock mass of coppiced *Platanus occidentalis* as affected by spacing and rotation length ---- *Klaus Steinbeck, Louis C. Nwoboshi* 545

Is succession in hardwood forests a stationary Markov process? ---- *Clark S. Binkley* 566

Response of an eastern white pine provenance test to pruning ---- *Jonathan W. Wright, John H. Hart, Walter A. Lemmien* 606

The role of mist and chemical treatments in rooting loblolly and shortleaf pine cuttings ---- *M. S. Greenwood, T. M. Marino, R. D. Meier, K. W. Shahan* 651

Comment by Vernon L. Robinson on "A technique for estimating timber value based on tree size, management variables, and market conditions" ---- 580

Reviews

Forest ecology, 3rd Edition ---- *Reviewed by William K. Ferrell* 589

The Douglas-fir tussock moth: a synthesis ---- *Reviewed by Douglas C. Allen* 702

Announcements

University of Wisconsin-Madison Arboretum to issue new publication ---- 598

Brushland management symposium set for 22–26 June 1981 ---- 642

Central America and Mexico Coniferous Resources Cooperative (CAMCORE) 686

Key-word index ---- 725

Author index ---- 740

Forest Science Monograph 23: Genetic variation in seedling progeny of ponderosa pine provenances. By Ralph A. Read. (Mailed concurrently with this issue of *Forest Science* as a separate.)